## ANNEXURE-'A'

Enquiry No. <u>1716</u> /Works/O&M/PC-2593 Dated: <u>04-10-2024</u> Due on <u>04-11-2024</u>

## SCHEDULE OF REQUIREMENT

Sr. No.	GHTP Store Code	Description of material	Specifications	Unit	Qty. Required
1	RM200090	White Paper 5 LB	21.5X34.5 cm, 60 GSM	RIM	50 (Each Rim contains 500 Sheets)
2	RM200091	White Paper 3 LB	21.5X34.5 cm, 54 GSM	RIM	(Each Rim contains 500 Sheets)
3	RM200092	Carbon Paper Small	210X330 mm, Kores	No.	2060
4	RM200093	Carbon Paper Large	420X330 mm, Kores	No.	1050
5	YY130501	Store demand SR M.A.T29	30.5X21.5 cm, 60 GSM, Kacha bound register of 50 leaves in 6 sheets (white,pink,light blue,light green,white yellow) duly machine numbered from 1 to 50. Page 1 to 5 should be ruled/cross ruled, printed and perforated. Sixth page should be fast. The book no. may be allotted from 3867 to 3945. The register should be sewned with pucca reel thread. Chit bearing the following words should be pasted/printed on the outer side of the Pad/Register. As per specimen. ਫਾਰਮ ਐਮ.ਏ.ਟੀ-29 ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਸਟੋਰ ਮੰਗ) ਦਫਤਰ ਦਾ ਨਾਂ	No.	79 (Each Register contains 300 pages)
6	YY130502	Store Return Warrant M.A.T34	25X21 cm, 60 GSM, Kacha bound register of 50 leaves in pen-triplicate duly machine numbered from 1 to 50. Page 1 to 4 should be ruled/cross ruled, printed and perforated. Fifth page should be fast. The book no. may be allotted from 3813 to 3826. The register should be sewned with pucca reel thread. Chit bearing the following words should be pasted/printed on the outer side of the Pad/Register. As per specimen. ਫਾਰਮ ਐਮ.ਏ.ਟੀ-34 ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਸਮੱਗਰੀ ਵਾਪਸੀ ਫਾਰਮ) ਦਫਤਰ ਦਾ ਨਾਂ	No.	14 (Each Register contains 250 pages)

7	YY130664	Dispatch register B&R-19	33.5X20.5 cm, white printing paper 60 GSM A Pucca bound register containing 200 leaves duly cross ruled and machine numbered from 1to 200 to be mentioned on one side only. (in Landscape shape). The binding should be strong duly stitched with pucca reel thread with two strips and cut flush. 1800 8GSM yellow straw board should be used. Chit bearing the following words should be	No.	65 (Each Register contains 200 pages)
			used, Chit bearing the following pasted/printed on the outer side of the Register. As per specimen. Form:- B&R-19 ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਡਿਸਪੈਚ ਰਜਿਸਟਰ) ਦਫਤਰ ਦਾ ਨਾਂ	a produce	10 min
8	YY130665	Diary Register B&R-22	33.5X20.5 cm, white printing paper 60 GSM A Pucca bound register containing 200 leaves duly cross ruled and machine numbered from 1to 200 to be mentioned on one side only. (in Landscape shape). The binding should be strong duly stitched with pucca reel thread with two strips and cut flush. 1800 GSM yellow straw board should be used. Chit bearing the following words should be	No.	46 (Each Register contains 20 pages)
			used. Chit bearing the following worlds pasted/printed on the outer side of the Register.  As per specimen. Form:- B&R-22 ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਇੰਦਰਾਜ ਰਜਿਸਟਰ) ਦਫਤਰ ਦਾ ਨਾਂ		
9	YY130651	Peon Book UF-21	20.5X 16.5 cm, white printing paper 60 GSM, Kacha bound register of 100 leaves duly cross ruled and machine numbered from 1 to 100 to be mentioned on one side only. (In Landscape shape). Binding should be with thick khakhi cover paper 135 GSM cloth back sewn with pucca reel thread. As per specimen.	No.	69 (Each Register contains 10 pages)
10	YY130653	File Cover UF-57	Pair of file cover will be of two pieces of yellow duplex of 288GSM in size 36x23 cms. A good quality cellow-tape 3.5 cms. wide is to be machine pasted inner side of each piece of the pair as per sample. In place of eyelets, the file cover is to be punched (1/2 cms. diameter) at a distance of 10	No.	5950
2			cms, from both ends and 2.5 cms from the left side. The weight of each file cover(pair)should not be less than 47 grams without cellow tape. Logo of PSPCL is to be printed on front side below .As per specimen. ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ਗੁਰੂ ਹਰਗਬਿੰਦ ਥਰਮਲ ਪਲਾਟ ਲਹਿਰਾ ਮਹੱਬਤ।		
11	YY130654	File Cover UF-59	Loose flying cover of khaki duplex (200 GSM) folded in size 36X23 cms. The eyelet with a diameter of ½ cms to be provided in the upper left corner of the flying cover at a distance of one inch from each end. The weight of each flying cover should not be less than 33.1 grams without eylets. Logo of PSPCL is to be printed on front side below.	No.	2661

	P. S.	Marites 1	As per specimen. ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ , ਗੁਰੂ ਹਰਗਬਿੰਦ ਥਰਮਲ ਪਲਾਟ ਲਹਿਰਾ ਮੁਹੱਬਤ ।	The state of	3450
12	YY130657	File Board UF-77	File Board size 36X23cm fitted with one single strip of thick convas cloth in size 57x9 cms. covering the entire back and front of the board. The entire convas cloth should be pasted on the packing paper and it is to be pasted on the file board before pasting the white paper as per sample. One meter thick superior quality (1/2 inch wide)cloth tape is to be provided as per sample. The words" ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ" is to be printed on the back of the file board as per sample. The weight of each complete file board should not be sees than 180 grams. As per specimen.	No.	9422
13	YY130671	Envelope Without	23X10cm Flapper extra. Khakhi kraft paper of 60 GSM (in one color shade only) Printing as per sample	No.	
14	YY130672	cloth PSE-3 Envelope Without cloth PSE-4	28X12cm Flapper extra. Khakhi kraft paper of 60 GSM (in one color shade only) Printing as per sample	No.	10340
15	YY130673	Cloth Envelope PSE-6A	38X25cm Flapper extra. Envelope with net cloth. Printing as per sample	No.	839
16	YY130682	Cloth Envelope PSE-7 A	44X34 cm flapper extra. Khakhi paper of 100 GSM new net cloth to be used in one color shade only. As per sample.	No.	50
17	YY130661	Lorry Log Book W.O22	20.5X33.5 cm Ledger printing paper 80 GSM in one color shade only. A Pucca bound register containing 100 leaves duly cross ruled and machine numbered from 1to 100. Sewn with pucca reel thread quirewise having two strips and cut flush. 1800 GSM yellow straw board should be used for the binding (print as per sample). A chit in Punjabi to be pasted/printed on the outer side of each register as under.  Form: WO-22 ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਲਾਰੀ ਲਾਗ ਬੁੱਕ) ਦਫਤਰ ਦਾ ਨਾਂ	No.	(Each Register contains 100 pages)
18	YY130662	Lorry mtc. Book W.O23	20.5X33.5 cm Ledger printing paper 80GSM in one color shade only. A Pucca bound register containing 100 leaves duly cross ruled and machine numbered from 1to 100. Sewn with pucca reel thread quirewise having two strips and cut flush. 1800 GSM yellow straw board should be used for the binding(print as per sample). A chit in Punjabi to be pasted/printed on the outer side of each register as under  Form: WO-23 ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਲਾਰੀ ਮੈਨਟੀਨੈਂਸ ਬੁੱਕ)	No.	25 (Each Register contains 100 pages)

			ਸਮਾਂਤੋਂਤੱਕ		March .
19	YY130674	Voucher Form hand receipt book	16X23 cm Kacha bound pad of 100 leaves duly ruled, cross ruled. The binding should be made at the top with thick khakhi cover of 80GSM and should be printed perforated. (print as per sample)	No.	28' (Each Pad contains 100 pages)
20	YY130677	CE-33 P.O. issue register MAT-9	33.5X20.5 cm, white printing paper 60 GSM. A Pucca bound register containing 100 leaves duly cross ruled and machine numbered from 1to 100. The binding should be strong duly stitched with pucca reel thread with two strips and cut flush. 1800 GSM yellow straw board should be used. (print as per sample) A The following words in Punjabi to be pasted/printed on the outer side of each register as under. ਐਮ.ਏ.ਟੀ9	No.	4 (Each Register contains 100 pages)
			ਖਰੀਦ ਹੁਕਮ ਜਾਰੀ ਕਰਨ ਦਾ ਰਜਿਸਟਰ ਦਫਤਰ ਦਾ ਨਾਂਤੋਂਤੱਕ ਸਮਾਂਤੋਂਤੱਕ	No.	40
21	YY130678	Material account Register MAT-28	33.5X20.5 cm, white printing paper 60 GSM. A Pucca bound register containing 100 leaves duly cross ruled and machine numbered from 1to 100. The binding should be strong duly stitched with pucca reel thread with two strips and cut flush. 1800 GSM yellow straw board	Actor	(Each Register contains 100 pages)
			should be used. (print as per sample) A The following words in Punjabi to be pasted/printed on the outer side of each register as under. ਐਮ.ਏ.ਟੀ28		
			ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ਸਮੱਗਰੀ ਅਨੁਮਾਨ ਨਿਯੰਤਰਣ ਰਜਿਸਟਰ ਦਫਤਰ ਦਾ ਨਾਂਤੋਂਤੱਕ		
22	YY130679	Envelope without cloth PSE-5	43X17 cm flapper extra. Khakhi paper of 100 GSM without cloth in one color shade only. Printing as per sample.	No.	408
23	YY130680	Envelope with cloth PSE-5A	43X17 cm flapper extra. Khakhi paper of 100 GSM new net cloth to be used in one color shade only. Printing as per sample.	No.	20
24	YY130681	Envelope without cloth PSE-	30X44 cm flapper extra. Khakhi paper of 100 GSM without cloth in one color shade only. Printing as per sample.	No.	140
25	YY130687	Instrument care Register, E.M.R.	20.5x33.5cms Pucca bound register containing 100 leaves duly cross ruled and pages duly machine numbered from 1to 100 sewn pucca reel thread quirewise having two strips and	No.	25 (Each Register contains 100 pages)

		W.O8	cut flush. 1800 GSM yellow straw board is to be used for binding (print as per sample). A chit in Punjabi to be pasted/printed on the outer side of each register as under.  Form: WO-8 ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਸਾਜ ਸਮਾਨ ਦੀ ਸਾਂਭ ਸੰਭਾਲ ਦਾ ਰਜਿਸਟਰ) ਦਫਤਰ ਦਾ ਨਾਂ		
26	YY130663	TA Bill Register PA-10	20.5x33.5 cms white printing paper 60 GSM(In one colour/shade only) A cut flush pucca bound register of 100 leaves machine numbered from 1 to 100. Binding should be with 1800 GSM. straw board having two strips sewn with pucca reel thread quirewise (print as per sample). The following words should be printed/pasted on the outer side of the register: ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਸਫਰੀ ਭੱਤਾ ਰਜਿਸਟਰ) ਦਫਤਰ ਦਾ ਨਾਂ	No.	(Each Register contains 100 pages)
27	YY130668	Work measure Book/SMB CE-1	22X18.5 cm Yellow 47 GSM white 60 GSM (in one color shade only) A Pucca bound register of 200 leaves duly machine numbered from 1 to 100. It will have 4/5 extra leave for both side printing of instructions and index which should be provided in the very beginning of the book. Index being adjusted after instructions. The first numbered leave will be of yellow colored manifold paper of 47 GSM printed & pinpoint perforated. The duplicate printing leave which should be fast will be of white paper of 60 GSM. Binding should be of 1800 GSM strong yellow straw board with superior binding cloth (print as per sample). The following words should be pasted/printed on the outer side of each register. Book No. from 670 to 720 may be provided.  ਸੀ.ਈ.–1 ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਕਾਰਜ ਦੀ ਪੈਮਾਇਸ਼ ਬੁੱਕ) ਦਫਤਰ ਦਾ ਨਾਂ	No.	51 (Each Register contains 100 pages)
28	YY130685	Fixed Assets register CE-2	20.5X33.5 cm White printing paper of 80 GSM (in one color shade only) A Pucca bound register of 100 leaves duly machine numbered from 1to 100. Sewn with pucca reel thread quirewise. Binding should be of 1800 GSM strong yellow straw board with superior	No.	4 (Each Register contains 100 pages)

			binding cloth and two strips(print as per sample). The following words should be pasted/printed on the outer side of each register:  ਸੀ.ਈ2 ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਨਿਸ਼ਚਿਤ ਪਰਿਸੰਪਤੀਆਂ ਦਾ ਰਜਿਸਟਰ) ਦਫਤਰ ਦਾ ਨਾਂ		
29	YY130686	Register of Dismantlem ent CE-43	20.5X33.5 cm White printing paper of 60 GSM (in one color shade only) A Pucca bound register of 50 leaves duly machine numbered from 1to 50. Sewn with pucca reel thread quirewise. Binding should be of 1800 GSM strong yellow straw board with superior binding cloth and two strips (print as per sample). The following words should be pasted/printed on the outer side of each register:	No.	5 (Each Register contains 50* pages)
			ਸੀ.ਈ43 ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਉਖੇੜਨ ਜਾਂ ਸਥਾਈ ਕਾਰਜਾਂ ਤੋਂ ਪ੍ਰਾਪਤ ਕੀਤੀ ਸਮੱਗਰੀ ਦਾ ਰਜਿਸਟਰ) ਦਫਤਰ ਦਾ ਨਾਂਤੋਂਤੱਕ	i de	
30	YY130667	Register for postage stamp GE-08	20.5X33.5 cm Pucca bound register containing 200 leaves duly cross ruled and pages duly machine numbered from 1 to 200 with 1800 GSM yellow straw board sewn quirewise with pucca reel thread, two strips back cloth of superior quality and cut flush(print as per sample). A chit in Punjabi to be pasted/printed on the outer side of each register as under.  ਜੀ.ਈ08 ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਇਸਤੇਮਾਲ ਕੀਤੀਆਂ ਡਾਕ ਟਿਕਟਾਂ ਦਾ ਰਜਿਸਟਰ) ਦਫਤਰ ਦਾ ਨਾਂ	No.	(Each Register contains 20 pages)
31	RM200097	Noting Paper Green	21.5X34.5 cm Green ledger 80 GSM 500 sheets	RIM	66 (Each Rim contains 50 Sheets)
32	YY130504	Gate Pass Book (Four colour) MAT-32	200 sheets in quadruplicate i.e 50X4=200 sheets (Pakki perforated book binding) One side printing sheet size:17X25 cm 54 GSM Each page in quadruplicate of colours:1st ,2nd ,3rd & 4th copy of Pink, white, Light green & yellow respectively. Book Sr. No. 170 onward as per specimen	No.	52 (Each Register contains 200 pages)
33	YY130722	Gate Pass Book (Three	300 sheets in triplet i.e 100X3=300 sheets (Pakki perforated book binding)One side	No.	30 (Each Register

		colour) MAT-32	printing sheet size:13X19 cm 54 GSM Each page in triplet of colours:1st ,2nd&3rd copy of yellow, Pink & white respectively. As per		contains 300 pages)
34	YY130527	Material Out going Register	specimen.  20.5cmX33.5 cm, white printing paper 60GSM. A pucca bound register containing 100 Leaves duly cross ruled and machine numbered from 1 to 100.(Landscape) The binding should be strong duly stitched with pucca reel thread with 1800 GSM yellow straw board should be used. The following words should be pasted/ written on outer side of each register. Printing as per specimen attached (Portrait)  ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ਮਾਲ ਜਾਣ ਸਬੰਧੀ ਰਜਿਸਟਰ ਗੁ:ਹ:ਥ:ਪ:ਲਹਿਰਾ ਮੁਹੱਬਤ	No.	(Each Register contains 100 pages)
35	YY130528	Duty Developme nt Register	33.5cmX20.5cm, white printing paper 50GSM.A pucca bound register containing 100 Leaves duly cross ruled and machine numbered from 1 to 100.The binding should be strong duly stitched with pucca reel thread with 1800 GSM yellow straw board should be used. The following words should be pasted/written on outer side of each register. Printing as per specimen attached (Portrait) ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ਡਿਵੈਲਪਮੈਂਟ ਰਜਿਸਟਰ ਸਕਿਊਰਟੀ ਸਟਾਫ(ਪੈਸਕੋ) ਗੁ:ਹ:ਥ:ਪ:ਲਹਿਰਾ ਮੁਹੱਬਤ	No.	18 (Each Register contains 100 pages)
36	YY130529	Vehicle in/out going register	ਸਮਾਂਤੋਂਤੱਕ 20.5cmX33.5 cm, white printing paper 60GSM.A pucca bound register containing 100 Leaves duly cross ruled and machine numbered from 1 to 100.(Landscape) The binding should be strong duly stitched with pucca reel thread with 1800 GSM yellow straw board should be used. The following words should be pasted/ written on outer side of each register. Printing as per specimen attached (Portrait) ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ਵਾਹਨ ਆਉਣੇ ਜਾਣ ਸਬੰਧੀ ਰਜਿਸਟਰ ਗੁ:ਹ:ਥ:ਪ:ਲਹਿਰਾ ਮੁਹੱਬਤ ਸਮਾਂਤੱਕ	No.	50 (Each Register contains 100 pages)
37	YY130526	Material in coming register	20.5cmX33.5 cm, white printing paper 60GSM.A pucca bound register containing 100 Leaves duly cross ruled and machine numbered from 1 to 100.(Landscape) The binding should be strong duly stitched with pucca reel thread with 1800 GSM yellow straw	No.	50 (Each Register contains 100 pages)

			board should be used. The following words		The state of
			should be used. The following should be pasted/ written on outer side of each register. Printing as per specimen attached (Portrait) ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ਮਾਲ ਆਉਣ ਸਬੰਧੀ ਰਜਿਸਟਰ ਗੁ:ਹ:ਥ:ਪ:ਲਹਿਰਾ ਮੁਹੱਬਤ ਸਮਾਂਤੱਕ		
38	YY130525	Mulakati Register	20.5cmX33.5 cm, white printing paper 60GSM.A pucca bound register containing 100 Leaves duly cross ruled and machine numbered from 1 to 100.(Landscape) The binding should be strong duly stitched with pucca reel thread with 1800 GSM yellow straw board should be used. The following words should be pasted/ written on outer side of each register. Printing as per specimen attached (Portrait) ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ਮੁਲਾਕਾਤੀ ਸਬੰਧੀ ਰਜਿਸਟਰ ਗੁ:ਹ:ਥ:ਪ:ਲਹਿਰਾ ਮੁਹੱਬਤ		12 (Each Register contains 10 pages)
			ਸਮਾਂਤੋਂਤੱਕ		
39	YY130716	Gate pass/ Entry card	9x7 cm White color sheet 125 GSM, Printing as per specimen attached	No.	5000
40	YY130652	Attendance Register UF-30	Kacha bound register of complete 16 sets duly printed ruled/cross ruled, stitched with steel wire pins from two places. Instructions to be printed on the outer cover of each register as per sample. 20.5x16.5 cms. As per Specimen.	No.	80 (Each Register contains 16 pages)
41	YY130697	Attendance Register (under rule 110 of factory Act) FORM-25	20.5X 33.5 cm, light green printing paper 60 GSM, Pucca bound register of complete 40 sets for 40 months duly printed ruled/cross ruled. The binding should be strong duly stitched with pucca reel thread with two strips and cut flush. 1800 GSM yellow straw board should be used as per sample.	No.	27 (Each Register contains 40 pages)
42	YY130718	OPD Slips PAD	13X22 cm white printing paper 60 GSM(in one color shade only) Kacha bound pad of 100 leaves duly ruled, cross ruled. The binding should be made at the top with thick khakhi cover of 80GSM and should be printed perforated. (print as per sample)	No.	50 (Each Pad contains 100 pages)
43	YY130692	Register of tender MAT-6	20.5X33.5 cm 60 GSM. A Pucca bound register of 100 leaves duly machine numbered from 1 to 100. Sewn with pucca reel thread quirewise. Binding should be of 1800 GSM strong yellow straw board with superior binding cloth and two strips(print as per sample). The following words should be pasted/printed on the outer side of each register:  ਐਮ.ਏ.ਟੀ6	No.	9 (Each Register contains 100 pages)

•		Tem sea	ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਟੈਂਡਰ ਰਜਿਸਟਰ) ਦਫਤਰ ਦਾ ਨਾਂਤੋਂਤੱਕ		
44	YY130707	Register of tender issue MAT-5	20.5X33.5 cm 60 GSM. A Pucca bound register of 100 leaves duly machine numbered from 1 to 100. Sewn with pucca reel thread quirewise. Binding should be of 1800 GSM strong yellow straw board with superior binding cloth and two strips (print as per sample). The following words should be pasted/printed on the outer side of each register:  ਐਮ.ਏ.ਟੀ5 ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਟੈਂਡਰ ਜਾਰੀ ਕਰਨ ਦਾ ਰਜਿਸਟਰ) ਦਫਤਰ ਦਾ ਨਾਂ	No.	16 (Each Register contains 100 pages)
45	YY130524	T&P Register	White printing paper 60 GSM, 100 sheets. A pakki Book binding both side printing sheet duly cross ruled and machine numbered from 1 to100 to be mentioned size: 9"x 14". As per Specimen.	No.	8 (Each Register contains 100 pages)
46	YY130723	Tight Fitting Clothing register 7A	White Printing Paper 60 GSM, 100 Sheets. A Pakki Book Binding both Side Printing Sheet duly cross ruled and machine no. from 1 to 100 to be mention size: 12"X7.75". As per Specimen.	No.	(Each Register contains 100 pages)
47	YY130706	Fresh receipt register MAT-13/14	12"X8" white printing paper 60 GSM, Pucca bound containing 200 leaves and machine numbering from 1 to 200 to be mentioned on one side only. The binding should be strong duly stitched with pucca reel thread with two strips and cut flush. Book Sr.No. 68to 69. 1800 GSM yellow straw board should be used. The following words should be pasted/ written on outer side of each register. Printing as per specimen attached (Portrait) ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ਆਰ ਆਰ(RR) ਜੀ ਆਰ(GR) ਰਜਿਸਟਰ ਦਫਤਰ ਦਾ ਨਾਂ	No.	(Each Register contains 200 pages)
48	YY130532	Stock Card (Folder)	Stock card folder25.5 with Hard Card Board In Stainless Steel Ring Material. As per Specimen	No.	100
49	YY130531	Stock Card MAT-30	Both side Printing hard card sheet size: 23.5X18.5 cm in white colour. As per specimen.	No.	1000
50	YY130655	Stationary stock register UF-72	20.5X33.5 cm White printing paper of 60 GSM (in one color shade only) A Kucha bound register of 30 leaves duly cross ruled. Binding should be of 135 GSM thick khakhi cover	No.	3 (Each Register contains 30 pages)

			paper, cloth back, stitched with three steel wire pins.(print as per sample)		- 1
51	YY130684	GRN (small) MAT-17	33x20.5 cms as per description 42 GSM. A Pucca bound register of 350 leaves (seven copies of each page) i.e. 50x7= 350 duly machine numbered from 1to 50. Book No. from 2834 to 2841. Page 1 to 6 should be ruled /cross ruled and printed on different colors of papers. First page should be white. Second page pink, third page of light green and fourth page should be of light grey paper. Fifth page should be light green. Sixth page should be light blue and seventh page should be yellow. First six copies should be perforated and the seventh copy should be fast. 1800 GSM strong yellow straw board binding cloth is to be used for binding purpose sewn with pucca reel thread (print as per sample). The following words should be pasted/printed on the outer side of each register: ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ਵਸਤੂ ਪ੍ਰਾਪਤੀ ਨੋਟ (ਖਰੀਦ) ਦਫਤਰ ਦਾ ਨਾਂ		(Each Register contains 35 pages)
52	YY130503	GRN (Large) MAT-17	40x33 cms as per description 42 GSM. A Pucca bound register of 600 leaves (six copies of each page) i.e. 100x6= 600 duly machine numbered from 1to 100. Book No. from 2684 to 2686. Page 1 to 5 should be ruled /cross ruled and printed on different colors of papers. First page should be white. Second page pink, third page of light green and fourth page should be of light grey paper. Fifth page should be light blue and sixth page should be yellow. First five copies should be perforated and the sixth copy should be fast. 1800 GSM strong yellow straw board binding cloth is to be used for binding purpose sewn with pucca reel thread(print as per sample). The following words should be pasted/printed on the outer side of each register: ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ਵਸਤੂ ਪ੍ਰਾਪਤੀ ਨੋਟ (ਖਰੀਦ) ਦਫਤਰ ਦਾ ਨਾਂ	No.	3 (Each Register contains 600 pages)
53	YY130711	Payment Voucher (PV)	Payment Voucher printed on pink colour sheet, as per specimen attached.	Pkt,	5 (Each Packet contain 100
54	RM200098	Green Colour	21.0X29.7 cm(A4) Green ledger 75 GSM 500 sheets	RIM	pages) 11 (Each Rim

	4 4 1 1	Paper RIM(A4) for RV	AND STRAIGHT ON THE PART OF TH	70.6	contains 500 Sheets)
55	RM200099	Yellow Colour Paper RIM(A4) for JV	21.0X29.7 cm(A4) Yellow ledger 75 GSM 500 sheets	RIM	15 (Each Rim contains 500 Sheets)
56	RM200100	Pink Colour Paper RIM(A4) for PV	21.0X29.7 cm(A4) Pink ledger 75 GSM 500 sheets	RIM	(Each Rim contains 500 Sheets)
57	YY130603	Register of General Assets CE-5	Specification and Sample not available in this office.	No.	1
58	YY130658	Register of Accidents Dangerous Occurrences	33.5cmX20.5cm, white printing paper 50GSM.A pucca bound register containing 100 Leaves duly cross ruled and machine numbered from 1 to 100.The binding should be strong duly stitched with pucca reel thread	No.	(Each Register contains 100 pages)
		Form No. 26	with 1800 GSM yellow straw board should be used. The following words should be pasted/ written on outer side of each register. Printing as per specimen attached (Portrait) ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ( ਖਤਰਨਾਕ ਦੁਰਘਟਨਾਵਾਂ ਸਬੰਧੀ ਰਜਿਸਟਰ) ਦਫਤਰ ਦਾ ਨਾਂ		
59	YY130729	Out door patient register	33.5X20.5 cm, white printing paper 60 GSM A Pucca bound register containing 200 leaves duly cross ruled and machine numbered from 1to 200 to be mentioned on one side only. (in Landscape shape). The binding should be strong duly stitched with pucca reel thread with two strips and cut flush. 1800 GSM yellow straw board should be used(print as per sample). Chit bearing the following words should be pasted/printed on the outer side of the Pad/Register. ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਆਊਟ ਡੋਰ ਮਰੀਜਾਂ ਦਾ ਰਜਿਸਟਰ) ਦਫਤਰ ਦਾ ਨਾਂ———————————————————————————————————	No.	5 (Each Register contains 200 pages)
60	YY130659	Cash Book C&B-1	42X32,5 cm, green printing paper 60 GSM A Pucca bound register containing 150 leaves duly cross ruled and machine numbered from 1to 150 to be mentioned on one side only. The binding should be strong duly stitched with pucca reel thread with two strips and cut flush. 1800 GSM yellow straw board should be used(print as per sample). Chit bearing the following words should be pasted/printed on	No.	6 (Each Register contains 150 pages)

gallen			the outer side of the Register. ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਕੈਸ ਬੁੱਕ) ਦਫਤਰ ਦਾ ਨਾਂਤੱ ਸਮਾਂਤੱ		
61	YY130730	Remittance Register Form No. BA-1	33.5X20.5 cm, white printing paper 60 GSM A Pucca bound register containing 100 leaves duly cross ruled and machine numbered from 1 to 100 to be mentioned on one side only. (in Landscape shape). The binding should be strong duly stitched with pucca reel thread with two strips and cut flush. 1800 GSM yellow straw board should be used(print as per sample). Chit bearing the following words should be pasted/printed on the outer side of the Register. Form:- BA-1 ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ (ਜਮ੍ਹਾਂ ਕਰਵਾਈ ਰਕਮ ਦਾ ਰਜਿਸਟਰ)	No.	(Each Register contains 100 pages)
62	YY130698	Envelope Without	ਸਮਾਂਤੋਂਤੱਕ 44X34 cm flapper extra. Khakhi paper of 100 GSM without cloth in one color shade only	No.	180
63	YY130720	Cloth PSE-7 Working Estimate Register T.B. form H.E. 6	20.5x33.5 cms white printing paper 60 GSM(In one colour/shade only) A cut flush pucca bound register of 100 leaves machine numbered from 1 to 100. Binding should be with 1800 GSM.straw board having two strips sewn with pucca reel thread quirewise.(print as per sample) The following words should be printed/pasted on the outer side of the register:  ਪੰਜਾਬ ਸਟੇਟ ਪਾਵਰ ਕਾਰਪੋਰੇਸ਼ਨ ਲਿਮਟਿਡ ਪ੍ਰਾਜੈਕਟ ਸਮੱਗਰੀ ਲਈ ਕਾਰਜਕਾਰੀ ਤਖਮੀਨੇ( Working Estimate) ਦੀਆਂ ਮੰਨਜੂਰੀਆਂ ਦਾ ਰਜਿਸਟਰ ਦਫਤਰ ਦਾ ਨਾਂ	No.	(Each Register contains 100 pages)

Notes:-1. (i) The firm must have <u>GST Registration number & PAN No.</u> and same should be provided while quoting the rates. If the firm is registered under 'Composite Levies' then the same should be clearly mentioned in the quotation.

(ii) The firm must provide HSN Code in price schedule Performa in Annexure' C'.

(iii) Bidder have to submit the documentary evidence (Latest copy of memorandum of Micro Small & Medium Enterprises field under section-8 of MSMED Act, 2006 duly acknowledged by competent authority) of being a Micro, Small & Medium Enterprise, If the bidder does not submit the proof at the time of submission of its bid, it shall be considered as a Large Enterprise.

(iv) Tax Rate as provided in quotation shall be final.

(v) Any change in GST Rate after the submission of quotation and before the supply (with in delivery period) will be in PSPCL account. However no extra

payment on account of increase in GST Rate after the delivery period or supply of

material will be made whichever is earlier. Due to misclassification of HSN code increase in tax will be in supplier account. However due to misclassification of HSN code decrease in tax will be refunded to the PSPCL.

2. Negotiations, if at all required, shall be held only with the lowest tenderer. 3.

Rates should be quoted by the suppliers in their quotations both in figures as well as in words as per Annexure-'C'. 4.

Attached price break up schedule must be filled and prices must be type written. 5.

Tendering value less Rs. 5 lac EMD will not be applicable. Tendering value Rs. 5 Lac and above EMD @2% of the Tender value rounding to the multiple of Rs.10/on higher side subject to minimum of Rs.10,000/- and maximum of Rs. 20 Lac. Note:- Tender value is to considered including all taxes and other charges. EMD

will be applicable on Standardized Firms also.

SECURITY DEPOSIT- The successful Tenderers shall be required to submit Security 6. deposit for faithful execution of the purchase order/Contract of value exceeding Rs. 1,00,000/- at the rate of three percent (3%) of ordered value rounded off to a multiple of Rs. 10/- on the higher side. Tenderers exempted from EMD up to Rs. 5.0 Lac will have to submit security deposit for Purchase Orders valued above 1.0 Lac.

Note:- As security deposit will not be applicable on supply of proprietary items and firms supplying material under DGS& D rate contract. Security deposit will be

applicable on Standardized Firms also.

The payment will be made through RTGS system of digital payments only instead 7. of Cheque/DD. The firm must submit Bank A/c details with the quotation.

Your quotation must be valid for at least 120 days from the date of opening. 8.

Hand written/conditional quotation shall not be accepted. 9.

All other terms and conditions of Annexure-B (attached) and PSEB/PSPCL Purchase 10. Regulations, 2017, amended upto date, shall be applicable.

The firm should not be blacklisted by PSEB/PSPCL or any other Govt. Deptts./ 11.

Organizations.

Quantity mentioned in schedule of requirement can be divided and ordered on more 12. than one supplier.

The quotation/tender may be submitted either in person or through registered post 13. but not through courier as courier service is not available at GHTP, Lehra Mohabbat.

"TDS u/s 194Qof Income Tax Act shall be deducted, as applicable." 14

IMPORTANT NOTE:-

EMD IS PAYABLE THROUGH CASH RECEIPT OR THROUGH DEMAND DRAFT PAYABLE AT LEHRA MOHABBAT/RAMPURA PHUL IN, FAVOUR OF AO/O&M,GHTP, LEHRA MOHABBAT.

> Dy.Chief Engineer/HQ, Chief Engineer/O&M, GHTP, Lehra Mohabbat.