SCHEDULE OF REQUIREMENT

Sr. No.	GHTP Code	Description of Material	Unit	Make	Grade	Packing	Required Qty.
1	CH 051007	Ammonia solution 25%	LTR		AR/ GR	2.5 Ltr	80
2	CH-051002	Ammonium MolybdateTetrahydrate (99.3%)	KG		AR/ GR	500 GM	2
3	CH-051001	Ammonium Chloride	KG		AR/ GR	500 GM	2
4	CH-051004	Amm. Metavendate	gm		AR/ GR	100 GM	2
5	CH-051006	1 AMINO 2 NEPTHOL 4 SULPHONIC ACID	gm		AR/ GR	100 GM	2
6	CH-052007	Buffer 9.2 pH	Cap.		LR	10 Cap.	3
7	CH-052008	Bromocresol green (Bromosol)	GM	/ SRL	AR/ GR	5 GM	2
8	CH-055001	Ethylenediaminetetraacetic Acid Disodium Salt C ₁₀ H ₁₄ O ₈ Na ₂ N ₂ .2H ₂ O (EDTA)	KG	MERCK / SDFNE / QUALIGENS / RANKME / SRL (Manufactured in Year 2025)	AR/ GR	500 GM	2
9	CH-058003	Hydrogen Peroxide 30%	LTR	ENS ar 20	AR/ GR	500 ML	4
10	CH-058008	Hydrochloric Acid 35.4% (Conc.)	Ltr.	K / SDFNE / QUALIGENS / R. (Manufactured in Year 2025)	AR/ GR	500 ML	10
11	CH-103002	Lead Nitrate	GM	E / QU	AR/ GR	500 GM	1
12	CH-104002	Methyle Orange Indicator	Ltr.	SDFN	LR	125 ML	8
13	CH-250003	Methyl Red Indicator	Ltr.	CK/8	LR	125 ML	8
14	CH-106005	Oxalic acid (99.5%) Extra Pure	KG	MER	AR/ GR	500 GM	10
15	CH-107019	Potassium hydroxide (pallets)	KG		AR/ GR	500 GM	6
16	CH-107005	Pyrogallol (99%) (C ₆ H ₆ O ₃)	GM		AR/ GR	100 GM	5
17	CH-107004	Potasium Sodium Tartrate	Kg		AR/ GR	500 GM	1
18	CH-107012	Phenolphthalein Indicator	Ltr.	black to	LR	125 ML	8
19	CH-107013	Potassium Chromate	GM		AR/ GR	100 GM	1
20	CH-151023	Sodium Hydroxide	KG		AR/ GR	500 GM	1
21	CH-151016	Sulphuric Acid N/50	LTR		AR/ GR	500 ML	12
22	CH-151041	Sodium Tartrate Dihydrate (with Certificate)	GM		AR/ GR	250 GM	1

23	CH-151042	Standard Benzoic Acid (With Certificate)	Tab.	Рагг	AR/ GR	100 Tab	2
24	CH-151043	pH Electrode As per Annexure-A-I	No.	Toshniwal/Century/ VSI/Elico	12/2	1	10
25	CH-151044	Conductivity Cell (Cell Constant 0.1) As per Annexure-A-I	No.			1	2
26	CH-151045	Conductivity Cell (Cell Constant 1.0) As per Annexure-A-I	No.		oc V	1	12
27	CH-151046	Chemical Resistant Suit	No.	As per Annexure-A-1	• •	1	12
28	CH-151047	Wind Sock	No.		Live	2.01	12
29	CH-151048	Sulphate Kit	No.	AQUASOL OR EQUIVALENT		l i	1
30	CH-151049	Iron Kit	No.		100 <u>1</u> 0	. 1	1
31	CH-151050	Copper Kit	No.		a light	1 1	1

Notes:-1. (i) The firm must have <u>GST Registration number & PAN No.</u> and same should be provided while quoting the rates. If the firm is registered under 'Composite Levies' then the same should be clearly mentioned in the quotation.

- (ii) The firm must provide HSN Code in price schedule Performa in Annexure' C'.
- (iii) Bidder have to submit the documentary evidence (Latest copy of memorandum of Micro Small & Medium Enterprises field under section-8 of MSMED Act, 2006 duly acknowledged by competent authority) of being a Micro, Small & Medium Enterprise, If the bidder does not submit the proof at the time of submission of its bid, it shall be considered as a Large Enterprise.
- (iv) Tax Rate as provided in quotation shall be final.
- (v) Any change in GST Rate after the submission of quotation and before the supply (with in delivery period) will be in PSPCL account. However no extra payment on account of increase in GST Rate after the delivery period or supply of material will be made whichever is earlier.
- (vi) Due to misclassification of HSN code increase in tax will be in supplier account. However due to misclassification of HSN code decrease in tax will be refunded to the PSPCL.
- 2. Negotiations, if at all required, shall be held only with the lowest tenderer.
- 3. Rates should be quoted by the suppliers in their quotations both in figures as well as in words as per Annexure-'C'.
- 4. Attached price break up schedule must be filled and prices must be type written.
- 5. For Tendering value less than Rs. 5 lac EMD will not be applicable. Tendering value Rs. 5 Lac and above EMD @2% of the Tender value rounding to the multiple of Rs.10/- on higher side subject to minimum of Rs.10,000/- and maximum of Rs. 20 Lac.

Note:- Tender value is to considered including all taxes and other charges. <u>EMD</u> will be applicable on Standardized Firms also.

6. SECURITY DEPOSIT- The successful Tenderers shall be required to submit Security deposit for faithful execution of the purchase order/Contract of value exceeding Rs. 1,00,000/- at the rate of three percent (3%) of ordered value rounded off to a multiple of

Rs. 10/- on the higher side. Tenderers exempted from EMD up to Rs. 5.0 Lac will have to submit security deposit for Purchase Orders valued above 1.0 Lac.

Note:- As security deposit will not be applicable on supply of proprietary items and firms supplying material under DGS& D rate contract. Security deposit will be applicable on Standardized Firms also.

- 7. The payment will be made through RTGS system of digital payments only instead of Cheque/DD. The firm must submit Bank A/c details with the quotation.
- 8. Your quotation must be valid for at least 120 days from the date of opening.
- 9. Hand written/conditional quotation shall not be accepted.
- 10. All other terms and conditions of Annexure-B (attached) and PSEB/PSPCL Purchase Regulations, 2017, amended upto date, shall be applicable.
- 11. The firm should not be blacklisted by PSEB/PSPCL or any other Govt. Deptts./ Organizations.
- 12. Quantity mentioned in schedule of requirement can be divided and ordered on more than one supplier.
- 13. The quotation/tender may be submitted either in person or through registered post but not through courier as courier service is not available at GHTP, Lehra Mohabbat.
- "TDS u/s 194Qof Income Tax Act shall be deducted, as applicable."

IMPORTANT NOTE:-

EMD IS PAYABLE THROUGH CASH RECEIPT OR THROUGH DEMAND DRAFT PAYABLE AT LEHRA MOHABBAT/RAMPURA PHUL IN FAVOUR OF AO/O&M,GHTP, LEHRA MOHABBAT.

Dy.Chief Engineer/HQ, For Chief Engineer/O&M,

GHTP, Lehra Mohabbat

ANNEXUREA -I pH combination electrode
ktaterial: Unbreakable (preferably
refiliable)
To be compatible with Make: Century pH
meter (connector BNC)
Make: Toshniyal/Century/Elico
Cell constant: 0.1 approx
Material: Unbreakable
To be compatible with Make: Val electrode CH-181043 No CONTUCTIVITY CH-181044 To be compatible with Make: VBI conductivity meters (banana connector) Make: VBI/Toshniwa/Century (0.1 Cell Constant Cell constant: 1,0 approx
Material: Unbreakable
To be compatible with Make: VSI
conductivity meters (banana connector)
Make: VSI/Toshniyal/Century CONSUCENTRY CH-151045 26 cell (1.0 Gell Constant) No Chemical CH-151046 Size: - XL (free size) 27 resistant Application: - For Type 3 & 4 applications; Colour: - Yellow / Orange No SUR Build: - Coverall with 3-piece hood, inset sleeves, 2-piece diamond crotch gusset, elasticated hood, walst, cuffs and ankles, cushioned knee-pads, Double/single zip & storm flap with gloves. Material:- Polyethylene / polypropylene non-woven or equivalent. Conforming to IS 15071 / EN 14605 Length: 6 feet approx.
Material: PU Double fabric, Water Proof
Colour: Red and White, with 1 Reflective Wind sock CH-151047 28 12 No Tape for visibility in night Throat: 24" approx Apex: 12" approx

dy.

SOR vetted







