

ANNEXURE-'A'Enquiry No. 1821 /SGMC/O&M/PC-2701Dated: 26-6 -2025Due on 25-07-2025**SCHEDULE OF REQUIREMENT**

Sr. No.	GHTP Code No.	Description of Material	Required Qty. (No.)
1	44000092	Precision Limit Switch- Right, 2NO+2NC, Type of operator: Roller Lever, Make: BCH	25
2	44000093	Precision Limit Switch- Left, 2NO+2NC, Type of operator: Roller Lever, Make: BCH	25
3	40253013	Heavy Duty Soot Blower limit switch, 1NO+1NC, IP67, Lever Type: Knife, Type-JUA5, Make: Jai Balaji (or any Compatible Substitute)	4
4	40253014	Heavy Duty Soot Blower limit switch, 1NO+1NC, IP67, Lever Type: Knife, Type- BC 9, JLSL-1, Make: Jai Balaji (or any Compatible Substitute)	4
5	40253015	Electronic Timer-OFF Delay, Model No.BCR 110/24V,SBT01200, Make: BCH	2
6	40350351	Auxiliary Control Relay Plug-in type with Base, 3C/O contacts, Coil voltage: 110V AC, 10A, Make: PLA, OEN, OMRON	25
7	40350352	Auxiliary Control Relay Plug-in type with Base, 3C/O contacts, Coil voltage: 240V AC, 10A, Make: PLA, OEN, OMRON	10
8	40350377	Auxiliary Control Relay Plug-in type with Base, 2C/O contacts, coil voltage 240VAC, 10A, Make: PLA, OEN, OMRON	5
9	90200544	Diode, Model No: HS10HR14, Make: Hirect Or Model No: 12FMR120, Make: Ruttonsha	30
10	90200545	Diode, Model No: HS10HN14, Make: Hirect Or Model No: 12FM120, Make: Ruttonsha	30
11	42441047	Water Level Controller for Sump Pump , 240VAC, 3C/O contacts, Rating: 6Amp, with Empty, Low and High level monitoring.	5
12	EA550411	MCB, 63A, 415V AC, 4 Pole, C-Curve characteristics, suitable for cable sizes upto 35 sq.mm, IΔ n: 30mA, 10KA, IS:8828-1996 (IEC-60998), Make: L&T, ABB, GE, Siemens, C&S, Schneider, Havells	30
13	40250050	415V AC, 63 Amp Panel Mounted- Straight Industrial Socket, 5 pin(3P+N+E) with cover, Protection Class: IP44 or more. Make: BCH, Indo Asian, Hensel, Havells, PratiKa.	10
14	40250094	Push button actuator with Metallic enclosure, flush head type, Non-illuminated , Cut-out Dia.: 22.5mm, Contact block: 2NO+2NC, Contact rating: 110VAC/220V DC, terminal capacity: 1X2.5 sqmm screw type terminal with retained clamp, Rated insulation voltage: 500V , Rated thermal current: 10A, IEC947-5-1, Colour: Red, Make: Kaycee, ESBEE, TEKNIC	30

15	40250093	Push button actuator with Metallic enclosure, flush head type, Non-illuminated, Cut-out Dia.: 22.5mm, Contact block: 1NO+1NC, Contact rating: 110VAC/220V DC, terminal capacity: 1X2.5 sqmm screw type terminal with retained clamp, Rated insulation voltage: 500V, Rated thermal current: 10A, IEC947-5-1, Colour: Red, Make: Kaycee, ESBEE, TEKNIC	30
16	40250049	Terminal Block (TB), Colour: Grey, Rated cross section: 2.5 sq mm, Type of connection: 2 screw clamp and 1 tapped hole for cross connection, Screw size: M3, Rating: 800V/24A/2.5 sq mm/0.5Nm, IEC60947-7-1, Mounting: 32 mm ("G" Section) DIN Standard Rail, Make: Elmex	50
17	40250027	Terminal Block (TB), Colour: Grey, Rated cross section: 10 sq mm, Type of connection: 2 screw clamp and 1 tapped hole for cross connection, Screw size: M4, Rating: 800V/57A/10 sq mm/1.2Nm, IEC60947-7-1, Mounting: 32 mm ("G" Section) DIN Standard Rail, Make: Elmex	30
18	40250028	Terminal Block (TB), spring loaded, Colour: Grey, Rated cross section: 25 sq mm, Type of connection: 2 screw clamp and 1 tapped hole for cross connection, Screw size: M5, Rating: 800V/101A/25 sq mm/2.3Nm, IEC60947-7-1, Mounting: 32 mm ("G" Section) DIN Standard Rail, Make: Elmex	30

Notes:- 1. (i) The firm must have **GST Registration number & PAN No.** and same should be provided while quoting the rates. If the firm is registered under 'Composite Levies' then the same should be clearly mentioned in the quotation.

- (ii) The firm must provide HSN Code in price schedule Performa in Annexure 'C'.
- (iii) Bidder have to submit the documentary evidence (Latest copy of memorandum of Micro Small & Medium Enterprises filed under section-8 of MSMED Act, 2006 duly acknowledged by competent authority) of being a Micro, Small & Medium Enterprise, If the bidder does not submit the proof at the time of submission of its bid, it shall be considered as a Large Enterprise.

(iv) Tax Rate as provided in quotation shall be final.

(v) Any change in GST Rate after the submission of quotation and before the supply (with in delivery period) will be in PSPCL account. However no extra payment on account of increase in GST Rate after the delivery period or supply of material will be made whichever is earlier.

(vi) Due to misclassification of HSN code increase in tax will be in supplier account. However due to misclassification of HSN code decrease in tax will be refunded to the PSPCL.

2. Negotiations, if at all required, shall be held only with the lowest tenderer.

3. Rates should be quoted by the suppliers in their quotations both in figures as well as in words as per Annexure-'C'.

4. Attached price break up schedule must be filled and prices must be type written.

5. For Tendering value less than Rs. 5 lac EMD will not be applicable. Tendering value Rs. 5 Lac and above EMD @2% of the Tender value rounding to the multiple of Rs.10/- on higher side subject to minimum of Rs.10,000/- and maximum of Rs. 20 Lac.

Note:- Tender value is to considered including all taxes and other charges. **EMD will be applicable on Standardized Firms also.**

6. **SECURITY DEPOSIT-** The successful Tenderers shall be required to submit Security

deposit for faithful execution of the purchase order/Contract of value exceeding Rs. 1,00,000/- at the rate of three percent (3%) of ordered value rounded off to a multiple of Rs. 10/- on the higher side. Tenderers exempted from EMD up to Rs. 5.0 Lac will have to submit security deposit for Purchase Orders valued above 1.0 Lac.


Note:- As security deposit will not be applicable on supply of proprietary items and firms supplying material under DGS& D rate contract. Security deposit will be applicable on Standardized Firms also.

7. The payment will be made through RTGS system of digital payments only instead of Cheque/DD. The firm must submit Bank A/c details with the quotation.
8. Your quotation must be valid for at least 120 days from the date of opening.
9. Hand written/conditional quotation shall not be accepted.
10. All other terms and conditions of Annexure-B (attached) and PSEB/PSPCL Purchase Regulations, 2017, amended upto date, shall be applicable.
11. The firm should not be blacklisted by PSEB/PSPCL or any other Govt. Deptts./ Organizations.
12. Quantity mentioned in schedule of requirement can be divided and ordered on more than one supplier.
13. The quotation/tender may be submitted either in person or through registered post but not through courier as courier service is not available at GHTP, Lehra Mohabbat.
14. "TDS u/s 194Q of Income Tax Act shall be deducted, as applicable."

IMPORTANT NOTE:-

EMD IS PAYABLE THROUGH CASH RECEIPT OR THROUGH DEMAND DRAFT PAYABLE AT LEHRA MOHABBAT/RAMPURA PHUL IN FAVOUR OF AO/O&M, GHTP, LEHRA MOHABBAT .

For
Dy.Chief Engineer/HQ,
Chief Engineer/O&M,
GHTP, Lehra Mohabbat

 24/6/25